

Pelarut am (General Solvent), Asahi Graphic Corporation, AG_General_Solvent_MY_E-2,01/11/2023

Date of issue for the 1st edition: 31/10/2023

Date of revision: 01/11/2023

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name: Pelarut am (General Solvent)

Product code (SDS NO): AG_General_Solvent_MY_E-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Asahi Graphic Corporation

Address: KOHGA Bldg. 3F, 4-23-8 Ebisu, Shibuya-ku, Tokyo, 150-0013 Japan

Telephone number: +81-3-5424-3016

FAX: +81-3-5424-3018

1.4 Emergency telephone number: +60-12-3456-7890

Section 2. Hazards identification

GHS classification and label elements of the product

2.1 Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 3

HEALTH HAZARDS

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2

Germ cell mutagenicity: Category 1B

Carcinogenicity: Category 1B

Specific target organ toxicity - single exposure: Category 3 (Respiratory tract irritation)

Aspiration hazard: Category 1

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, long-term (chronic): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

2.2 Label elements









Signal word: Danger HAZARD STATEMENT

H226 Flammable liquid and vapor

H315 Causes skin irritation

H319 Causes serious eye irritation

H340 May cause genetic defects

H350 May cause cancer

H335 May cause respiratory irritation

H304 May be fatal if swallowed and enters airways

H411 Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.



P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P264 Wash contaminated parts thoroughly after handling.

P280 Wear protective gloves.

P280 Wear protective gloves and face protection.

P280 Wear eye protection/face protection.

P280 Use personal protective equipment as required.

Response

P370 + P378 In case of fire: Use appropriate media to extinguish.

P391 Collect spillage.

P321 Specific treatment is required.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P312 Call a POISON CENTER/doctor/physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P331 Do NOT induce vomiting.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

Storage

P403 Store in a well-ventilated place. P233 Keep container tightly closed.

P235 Keep cool.

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Flammable liquid. Vapor/air mixture may explode.



Section 3. Composition/information on ingredients

Mixture/Substance selection:

3.2 Mixture

Ingredient name	CAS No.	Content (%)
Classification Code and H code	ECNO	
Solvent naphtha	64742-95-6	55 - 60
Carc. 1B, H350; Muta. 1B, H340; Asp. Tox. 1, H304	265-199-0	
[SCL's, M-Factors, ATE, Component notes]		
note:[P]		
1,2,4-trimethylbenzene	95-63-6	15 – 20
Flam. Liq. 3, H226; Acute Tox. 4 *, H332; STOT SE 3, H335;	202-436-9	
Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 2, H411		
1,3,5-trimethylbenzene	108-67-8	5 – 10
Flam. Liq. 3, H226; STOT SE 3, H335; Aquatic Chronic 2, H411		
[SCL's, M-Factors, ATE, Component notes]	203-604-4	
STOT SE 3; H335: C >= 25 %		
Xylene (Mixture of isomers)	1330-20-7	5 - 10
Flam. Liq. 3, H226; Acute Tox. 4 *, H332; Acute Tox. 4 *, H312;	215-535-7	
Skin Irrit. 2, H315		
[SCL's, M-Factors, ATE, Component notes]		
*;note:[C]		
Ethylbenzene	100-41-4	5 - 10
Flam. Liq. 2, H225; Acute Tox. 4 *, H332; Asp. Tox. 1, H304;	202-849-4	
STOT RE 2, H373 (hearing organs)		
Cumene	98-82-8	1 – 5
Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H335;	202-704-5	
Aquatic Chronic 2, H411		
[SCL's, M-Factors, ATE, Component notes]		
note:[C]		

Note: The figures shown above are not the specifications of the product.

Section 4. First-aid measures

4.1 Descriptions of first-aid measures

General measures

IF exposed or concerned: Get medical advice/attention.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor/physician.



4.2 Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Nausea, Headache, Drowsiness, Cough, Dizziness, Sore throat, Confusion

(Symptoms when skin and/or eye contact)

Dry skin, Conjunctival redness of the eyes

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment is required.

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

In case of fire, use water mist, foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Do not use direct water jet.

5.2 Specific hazards arising from the substance or mixture

Will form toxic carbon oxides upon combustion.

5.3 Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

In case of leakage, eliminate all ignition sources.

Cool container with water spray.

Apply water from a safe distance to cool and protect surrounding area.

Prevent extinguishing water from entering sewers.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

6.1 Personnel precautions, protective equipment and emergency procedures

Evacuate area.

Keep unauthorized personnel away.

Wear an air-supplied respirator for handling a spill at a poor ventilated workplace.

Wear proper protective equipment.

Eliminate all sources of ignition and ventilate the area.

6.2 Environmental precautions

Prevent spills from entering sewers, watercourses or low areas.

Do not wash away into sewers or waterway.

6.3 Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

For large spill, dike for later disposal.

Fill the disposal into labelled, closable containers.

Preventive measures for secondary accident

Collect spillage.

Prepare extinguishers before catching fire.

Stop leak if safe to do so.

Prevent entry into waterways, sewers, basements or confined areas.



Section 7. Handling and storage

7.1 Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Avoid breathing dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wear protective gloves and face protection.

Wear eye protection/face protection.

Use personal protective equipment as required.

Any incompatibilities

Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Do not get in eyes, on skin, or on clothing.

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

Wash hands thoroughly after handling.

7.2 Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Store locked up.

(Incompatible storage condition)

Avoid heat and sources of ignition (flames, sparks, etc.).

Container and packaging materials for safe handling data is not available.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Adopted value

(1,2,4-trimethylbenzene)

ACGIH(2021) TWA: 10ppm (CNS impair; hematologic eff)

(1,3,5-trimethylbenzene)

ACGIH(2021) TWA: 10ppm (CNS impair; hematologic eff)

(Xylene (Mixture of isomers))

ACGIH(2021) TWA: 20ppm (Eye & URT irr; hematologic eff; ototoxicity; CNS impair)

(Ethylbenzene)

ACGIH(2021) TWA: 20ppm (URT & eye irr; ototoxicity; kidney eff; CNS impair)



Pelarut am (General Solvent), Asahi Graphic Corporation, AG_General_Solvent_MY_E-2,01/11/2023

(Cumene)

ACGIH(2020) TWA: 5ppm (URT adenoma; neurological eff)

Notation

(Xylene (Mixture of isomers))

ОТО

(Ethylbenzene)

ОТО

Malaysia PEL (Occupational Safety Health Act 1994 [Act 514] Part III)

(Ethylbenzene)

TWA: 100ppm, 434mg/m3

(Cumene)

TWA: 50ppm, 246mg/m3 (skin)

8.2 Exposure controls

Appropriate engineering controls

Exhaust/ventilator should be available. Eye wash station should be available. Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves. Recommended material(s): impermeable or chemical resistant rubber

Eye protection

Wear safety glasses with side-shields or chemical safety goggle.

Skin and body protection

Wear protective clothing.

Section 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid Color: Colorless

Odor: Petroleum odor

Odor threshold data is not available.

Melting point/Freezing point data is not available.

Boiling point or initial boiling point: 130°C

Boiling range data is not available.

Flammability (gases, liquids and solids): Flammable Lower and upper explosion limit/flammability limit:

Lower explosion limit: 0.6vol % Upper explosion limit: 7vol % Flash point: (Closed cup)39°C Auto-ignition temperature: 432°C

Decomposition temperature data is not available.

pH data is not available.

Dynamic viscosity: 20.1mPas (20°C) Kinematic viscosity: 17.5mm2/s (40°C)

Solubility:

Solubility in water: Insoluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.



Pelarut am (General Solvent), Asahi Graphic Corporation, AG_General_Solvent_MY_E-2,01/11/2023

Density and/or relative density: 0.88 (20°C)

Relative vapor density (Air=1): 4.1

Particle characteristics: Not applicable

Evaporation rate data is not available.

Section 10. Stability and Reactivity

10.1 Reactivity

Reactivity data is not available.

10.2 Chemical stability

Stable under normal storage/handling conditions.

10.3 Possibility of hazardous reactions

Vapors may catch fire and explode.

10.4 Conditions to avoid

Avoid heat and sources of ignition (flames, sparks, etc.).

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

The following substances are produced by pyrolysis.

Carbon oxides

Section 11. Toxicological Information

The product has not been subjected to toxicological testing. Refer to the available data on the constituents.

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]

(Xylene (Mixture of isomers))

Category 4

Acute toxicity (Inhalation)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]

(1,2,4-trimethylbenzene)

Category 4

(Xylene (Mixture of isomers))

Category 4

(Ethylbenzene)

Category 4



Pelarut am (General Solvent), Asahi Graphic Corporation, AG_General_Solvent_MY_E-2,01/11/2023

```
Irritant properties
  Skin corrosion/irritation
    [Product]
       Category 2, Causes skin irritation
    [Data for components of the product]
       [ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]
       (1,2,4-trimethylbenzene)
       Category 2
       (Xylene (Mixture of isomers))
       Category 2
  Serious eye damage/irritation
    [Product]
       Category 2, Causes serious eye irritation
    [Data for components of the product]
       [ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]
       (1,2,4-trimethylbenzene)
       Category 2
Sensitization
  Respiratory sensitization
    [Product]
       Classification not possible (Insufficient data available or no data available).
    [Data for components of the product]
       No data available.
  Skin sensitization
    [Product]
       Classification not possible (Insufficient data available or no data available).
    [Data for components of the product]
       No data available.
Germ cell mutagenicity
    [Product]
       Category 1B, May cause genetic defects
    [Data for components of the product]
       [ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]
       (Solvent naphtha)
       Category 1B
Carcinogenicity
    [Product]
       Category 1B, May cause cancer
     [Data for components of the product]
       [ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]
       (Solvent naphtha)
       Category 1B
       (Cumene)
       Category 1B
       [IARC]
       (Xylene (Mixture of isomers))
       Group 3: Not classifiable as to its carcinogenicity to humans
       (Ethylbenzene)
       Group 2B: Possibly carcinogenic to humans
       (Cumene)
       Group 2B: Possibly carcinogenic to humans
```



Category 1

Pelarut am (General Solvent), Asahi Graphic Corporation, AG_General_Solvent_MY_E-2,01/11/2023

```
[ACGIH]
       (1,2,4-trimethylbenzene)
       A4(2021): Not Classifiable as a Human Carcinogen
      (Xylene (Mixture of isomers))
       A4(2021): Not Classifiable as a Human Carcinogen
      (Ethylbenzene)
       A3(2021): Confirmed Animal Carcinogen with Unknown Relevance to Humans
       (Cumene)
       A3(2020): Confirmed Animal Carcinogen with Unknown Relevance to Humans
Reproductive toxicity
    [Product]
       Classification not possible (Insufficient data available or no data available).
    [Data for components of the product]
       No data available.
Specific target organ toxicity (STOT)
  STOT-single exposure
    [Product]
       Category 3, May cause respiratory irritation
    [Data for components of the product]
    [cat.3 (respiratory tract irritation)]
       [ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]
      (1,2,4-trimethylbenzene)
      Category 3, Respiratory tract irritation
      (1,3,5-trimethylbenzene)
       Category 3, Respiratory tract irritation
       (Cumene)
       Category 3, Respiratory tract irritation
  STOT-repeated exposure
    [Product]
       Classification not possible (Insufficient data available or no data available).
    [Data for components of the product]
       [ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]
       (Ethylbenzene)
      hearing organs
Aspiration hazard
    [Product]
       Category 1, May be fatal if swallowed and enters airways
    [Data for components of the product]
    [cat.1]
       [ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]
      (Solvent naphtha)
       Category 1
       (Ethylbenzene)
       Category 1
       (Cumene)
```



Pelarut am (General Solvent), Asahi Graphic Corporation, AG_General_Solvent_MY_E-2,01/11/2023

```
Section 12. Ecological Information
```

The product has not been subjected to ecotoxicological testing. Refer to the available data on the constituents.

12.1 Toxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, long-term (chronic)

[ICOP CHC (AMENDMENT) 2019 PART 1/Table 3 of Annex VI to the CLP Regulations]

(1,2,4-trimethylbenzene)

Category 2

(1,3,5-trimethylbenzene)

Category 2

(Cumene)

Category 2

Water solubility

(1,2,4-trimethylbenzene)

very poor (ICSC, 2002)

(1,3,5-trimethylbenzene)

very poor (ICSC, 2002)

(Ethylbenzene)

0.015 g/100 ml (20°C) (ICSC, 2007)

(Cumene)

very poor (0.02 g/100ml, 20°C) (ICSC, 2014)

12.2 Persistence and degradability

[Data for components of the product]

(1,2,4-trimethylbenzene)

Not rapidly degradable (BOD_Degradation : average 8.7%/28 days I

(METI Existing Chemica Substances Safety Inspections Data, 1980))

(1,3,5-trimethylbenzene)

Not rapidly degradable (BOD_Degradation: 0%/14 days

(METI Existing Chemical Substances Safety Inspections Data, 1980))

(Xylene (Mixture of isomers))

Not rapidly degradable (BOD_Degradation: 39% (NITE Initial Risk Assessment Report, 2005))

(Ethylbenzene)

Not rapidly degradable (BOD_Degradation: 0% (MITI official bulletin, 1990))

(Cumene)

Not rapidly degradable (Degradation: 13% (EU-RAR, 2001))

12.3 Bioaccumulative potential

[Data for components of the product]

(1,2,4-trimethylbenzene)

log Pow=3.8 (ICSC, 2002)

(1,3,5-trimethylbenzene)

log Pow=3.42 (ICSC, 2002); BCF=342 (Check & Review, Japan)

(Xylene (Mixture of isomers))

log Pow=3.16 (PHYSPROP DB, 2005)

(Ethylbenzene)

log Kow=3.15 (PHYSPROP DB, 2005)

(Cumene)

log Pow=3.66 (PHYSPROP DB, 2005)



Pelarut am (General Solvent), Asahi Graphic Corporation, AG_General_Solvent_MY_E-2,01/11/2023

12.4 Mobility in soil

Mobility in soil data is not available.

12.7 Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

13.1 Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

Dispose to an authorized waste collection point.

Do not dump into sewers, on the ground or into any body of water.

Contaminated packing

Dispose of container after using the contents completely.

Section 14. Transport Information

UN No., UN CLASS

14.1 UN Number or ID Number: 1268

14.2 UN Proper Shipping Name:

PETROLEUM DISTILLATES, N.O.S or PETROLEUM PRODUCTS, N.O.S.

14.3 Class or division (Transport hazard class): 3

14.4 Packing group: III ERG GUIDE No.: 128 Special provisions No.: 223

IMDG Code (International Maritime Dangerous Goods Regulations)

14.1 UN Number or ID Number: 1268
14.2 UN Proper Shipping Name:

PETROLEUM DISTILLATES, N.O.S or PETROLEUM PRODUCTS, N.O.S.

14.3 Class or division (Transport hazard class): 3

14.4 Packing group: III

Special provisions No.: 223; 955 IATA (Dangerous Goods Regulations)

14.1 UN Number or ID Number : 1268

14.2 UN Proper Shipping Name:

PETROLEUM DISTILLATES, N.O.S or PETROLEUM PRODUCTS, N.O.S.

14.3 Class or division (Transport hazard class): 3

Hazard labels : Flamm.liquid 14.4 Packing group : III Special provisions No.: A3

14.5 Environmental hazards

Marine pollutants (yes/no): yes

14.6 Special precautions for user

Special precautions for user is not applicable.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This product is not intended to be carried in bulk.



Section 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Other information is not available.

Other regulatory information

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Section 16. Other information

GHS classification and labelling

Flammable liquids, Category 3: H226 Flammable liquid and vapour

Skin corrosion/irritation, Category 2: H315 Causes skin irritation

Serious eye damage/eye irritation, Category 2: H319 Causes serious eye irritation

Germ cell mutagenicity, Category 1B: H340 May cause genetic defects

Carcinogenicity, Category 1B: H350 May cause cancer

STOT - single exposure, Category 3, Respiratory tract irritation: H335 May cause respiratory irritation.

Aspiration hazard, Category 1: H304 May be fatal if swallowed and enters airways

Hazardous to the aquatic environment, long-term (chronic), Category 2: H411 Toxic to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2020 Edition (Incorporating Amendment 40-20)

IATA Dangerous Goods Regulations (64th Edition) 2023

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2023 TLVs and BEIs. (ACGIH)

Supplier's data/information

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals)

Regulations 2013

Industry Code of Practice on Chemicals Classification and Hazard Communication (Amendment)

2019 and the 2014 version

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health)

Regulations 2000

GESTIS-Stoffdatenbank

Pub Chem (OPEN CHEMISTRY DATABASE)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety. The GHS classification data given here is based on current EU official data (Consolidated version of the CLP Regulation published in 17/12/2022 and Commission delegated regulation (EU) 2022/692 (ATP18)), Malaysia official data (ICOP CHC (AMENDMENT) 2019 PART 1).